

Australian Standard Cable Tray Dimensions



Article Overview

Cable tray sizes in Australia vary by width, depth, and material to comply with AS/NZS 3000, AS/NZS 3013, and related standards.

Standard Cable Tray Dimensions

Cable trays are designed to support, route, and protect electrical cables while ensuring compliance with Australian standards. Typical dimensions for commercial and industrial installations are:

- Tray Widths: 50 mm, 100 mm, 150 mm, 200 mm, 300 mm, 400 mm, 500 mm, 600 mm, 800 mm, 1000 mm depending on cable volume and airflow requirements .
- Tray Depths: 25 mm, 50 mm, 75 mm, 100 mm, 150 mm, 200 mm, 300 mm to allow proper cable separation and prevent overheating .
- Material Options: Galvanised steel, aluminium, stainless steel, or fibre-reinforced plastic (FRP), chosen based on environmental exposure, corrosion resistance, and UV stability .

Compliance with Australian Standards

Key standards governing cable tray selection and installation include:

- AS/NZS 3000 (Wiring Rules): Ensures electrical installations, including cable trays, meet safety and performance criteria

Article Content

EzyStrut-Cable-Support-Systems-Catalogue-web.pdf

ORDERING DETAILS EzyStrut perforated Cable Trays are the strongest in their class
Supplied per length/individually with 20mm

CDU Cabling & Communications Infrastructure Standards v3.1

All work must comply with the relevant Australian/NZ and International standards and this document. The CDU Communications

EzyTray Cable Tray

The easy to install EzyStrut EzyTray cable tray is available in pre galvanised and hot dip galvanised steel, offering a 38mm cable

Cable Tray Capabilities

Cable Tray Capabilities Australia's leading range of Cable Tray suitable for all manner of applications... Jump to How to Choose a

CT Cable Tray

The CT cable tray is continuously perforated, and made from 1 piece of material. It provides a solution for installers who are looking

Cable Trays

Standard Cable Trays are available in a range of heights to suit your rack choice. Manufactured from 1.5mm zinc annealed steel and

Cable Size Calculator AS/NZS 3008

Cable size calculator for current rating, voltage drop, loop impedance, earth cable and short circuit, based on Australia and New

Tray and Ladder Sizing by Cable Capacity Calculator - IEC

Common Tray and Ladder Sizes by Cable Capacity (IEC Reference) Below are industry-standard tray and ladder dimensions used

Cable Tray for Electrical Installations | Ozstrut

Cable Tray Sizes: cable trays are available in a range of widths to suit different cable capacities and project requirements. Sizes

Cable Tray Capabilities

Consider your required cabling width, depth, span and load to select a product. EzyTray is the most popular cable tray choice

Cable Tray Australia | Cable Management Tray | Cable Basket

Buy Cable Tray Online from RS Australia Discover high-quality cable tray systems, including stainless steel cable tray, cable basket,

RITEWAY CABLE TRAY AND SUPATRAY

Other Riteway Cable Trays (made to order) Unistrut has the capability to manufacture other Riteway Cable Tray profiles and

Cable Tray Systems

Durable and reliable cable tray systems providing premium performance in commercial and industrial applications, available in a

Cable Tray Systems | Wire Cable Support | Electrical Tray Fittings

MJS Electrical Product & Supplies offers Cable Tray for Cable Management in Online. Browse wide range of Light weight Cable

Cable Ladder Capabilities

Cable Ladder Capabilities Cable Ladder by Australia's market leading manufacturer and supplier... Jump to Choosing a Cable

Fire Rated Cable Tray

Cable tray designed to offer continuous support of cables Twin design to maximise cable laying width Rated load of 40kg per metre

Steel Cable Ladder

EzyStrut stocks all sizes of steel cable ladder, as well as fittings and accessories, that have been hot dip galvanised for strong

Cable Tray Sizes & Compliance: Meeting Australian Electrical Standards

Learn how to choose the right cable tray size. Meet Australian standards with Solar Rains" cable trays for safe & efficient solar.

ET5 Cable Tray

The ET5 is a strong cable tray that gives the installer cabling depths of 78mm. Available widths range from 150-600mm, and the

Annexure D

1.1. Applicable Standards The design, manufacture and testing of equipment and components detailed in this annexure must comply

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://gmarkconstruction.co.za>

Email: sales@gmarkconstruction.co.za

Phone: +31-6-15-38-72-94

Address: Herengracht 456, 1017 BS Amsterdam, Netherlands

This document is for informational purposes only. Specifications subject to change without notice.

